



# Quality

makes it a LEER!

OUTDOOR ICE MERCHANDISERS





## Leer Quality... Unequaled in the Industry

All Leer outdoor merchandisers feature the finest cabinet construction assembled under the industry's toughest quality control standards.



model 40



model 60



model 75



model 30



model 40



## The Features that Set the Standard

*Leer outdoor merchandisers feature reinforced, embossed stainless steel doors with welded PVC frame; total steel cabinet construction; optional custom finishes; and quick recovery, low-temp, balanced refrigeration.*



*model 65*



*model 60*



*model 75*



*model 85*



*model 100*

# specifications

Ice Merchandiser				Outside Dimensions			Solid Door	Approx. Wt. <sup>①</sup>		Refrigeration	Amperage	
Models	No. of Doors	Capacity		Width	Depth <sup>②</sup>	Height	Width x Height	Cold Wall	Auto Defrost	Compressor 115/1/60	Cold Wall	Auto Defrost
		Cu. Ft. (approx.)	Bags* (7 lb.)									
40C 40A <i>slant</i>	1	40	150 130	50-1/2"	35-1/2"	68-1/2"	27" x 27"	320	345	1/4 hp	4.5	4.8
60C 60A <i>slant</i>	2	60	240 215	73"	35-1/2"	68-1/2"	27" x 27"	405	435	1/3 hp	6	6.7
75C 75A <i>slant</i>	2	75	325 290	96"	35-1/2"	68-1/2"	27" x 27"	515	555	1/2 hp	10	11.7
30C 30A	1	30	80 75	36"	30"	76-1/2"	27" x 46"	280	305	1/4 hp	4.5	4.8
40C 40A	1	40	175 165	50-1/2"	30"	76-1/2"	27" x 46"	330	350	1/4 hp	4.5	4.8
65C 65A	1	65	270 220	64"	35-1/2"	76-1/2"	27" x 46"	405	430	1/3 hp	6	6.7
60C 60A	2	60	275 270	73"	30"	76-1/2"	27" x 46"	425	455	1/3 hp	6	6.7
75C 75A	2	75	300 280	73"	35-1/2"	76-1/2"	27" x 46"	480	510	1/2 hp	10	11.7
85C 85A	2	85	350 330	84"	35-1/2"	76-1/2"	27" x 46"	525	560	1/2 hp	10	11.7
100C 100A	2	100	410 385	96"	35-1/2"	76-1/2"	27" x 46"	580	610	1/2 hp	10	11.7

Model Letter Suffixes:  
 "C" - Cold Wall  
 or  
 "A" - Automatic Defrost

① Shipping weight

② Add 3" for door and handle on upright models

## standard features

- Total steel cabinet construction
- Baked-on acrylic polyurethane, high solids, lead-free, enamel finish exterior
- Full 2-1/2"-thick, CFC-free, foamed-in-place polyurethane insulation in all walls and top with 3" bottom insulation
- Interior air flow ducts on automatic defrost models
- Reinforced, embossed stainless steel doors with welded PVC frame and roll-in gaskets
- R134a, low temperature, sealed condensing units
- Cold wall or automatic defrost refrigeration systems available on all models
- Five-year compressor warranty
- One-year parts warranty

## options

- Custom painted exterior
- Custom silk screening
- 220 /1/50 voltage
- Heavy-duty refrigeration (automatic defrost models only)
- Reverse fan self-cleaning condensing unit

Material and product improvement is a constant commitment at Leer Limited Partnership. These specifications are subject to change without notice and without incurring responsibility for previously sold merchandisers and components.

\* Merchandiser storage capacity may vary due to type of ice, ice bag size differences and methods of loading.



**LEER LIMITED PARTNERSHIP**

206 Leer Street, Box 206 • New Lisbon, WI 53950-0206  
 800-766-5337 • Ph: 608-562-3161 • Fax: 608-562-3203  
 Web Site: [www.leerlp.com](http://www.leerlp.com) • E-Mail: [info@leerlp.com](mailto:info@leerlp.com)



Printed In The USA  
 © LQA D03